

## Index to Volume 44

### Authors and Titles

- Abdel-Aziz, S. H., Khalil, A. N., and Abdel-Maguid, S. A.  
Reproductive cycle of the common guitarfish, *Rhinobatos rhinobatos* (Linnaeus, 1758), in Alexandria waters, Mediterranean Sea 507
- Abdel-Maguid, S. A.  
See Abdel-Aziz, S. H. 507
- Alford, R. A. See Crossland, M. R. 835
- Amin, M.  
Changing mean sea level and tidal constants on the west coast of Australia 911
- Barson, M. M. See Johnston, R. M. 235
- Batley, G. E. See Kilby, G. W. 635
- Bedford, D. W. See Holts, D. B. 901
- Bell, J. D. See Ferrell, D. J. 881
- Bell, P. R. F. See Gabric, A. J. 261
- Blackburn, S. I., and Cresswell, G.  
A coccolithophorid bloom in Jervis Bay, Australia 253
- Blackburn, S. I., and Cresswell, G.  
Corrigendum to: A coccolithophorid bloom in Jervis Bay, Australia 784
- Bolch, C. J. S., Elliott, N. G., and Ward, R. D.  
Enzyme variation in south-eastern Australian samples of the blue-eye or deepsea trevalla, *Hyperoglyphe antarctica* Carmichael 1818 (Teleostei:Stromateoidei) 687
- Boulton, A. J.  
Stream ecology and surface-hyporheic hydrologic exchange: implications, techniques and limitations 553
- Boulton, A. J. See also Cooling, M. P. 411
- Brown, P. L. See Jeffree, R. A. 609
- Cameron, D. See Morton, R. M. 811
- Caputi, N.  
Aspects of spawner-recruit relationships, with particular reference to crustacean stocks; a review 589
- Clarke, M. R. See Gales, R. 657
- Coles, R. G., Lee Long, W. J., Watson, R. A., and Derbyshire, K. J.  
Distribution of seagrasses, and their fish and penaeid prawn communities, in Cairns Harbour, a tropical estuary, northern Queensland, Australia 193
- Coles, R. G. See also Lee Long, W. J. 91  
and Mellors, J. E. 33  
and Kuo, J. 43  
and Watson, R. A. 211
- Collins, J. D. See Crossland, M. R. 835
- Cooling, M. P., and Boulton, A. J.  
Aspects of the hyporheic zone below the terminus of a South Australian arid-zone stream 411
- Cresswell, G. R., and Peterson, J. L.  
The Leeuwin Current south of Western Australia 285
- Cresswell, G. R., and Peterson, J. L.  
Corrigendum to: The Leeuwin Current south of Western Australia 779
- Cresswell, G. R.  
See also Blackburn, S. I. 253  
and Blackburn, S. I. 784
- Crossland, M. R., Collins, J. D., and Alford, R. A.  
Host selection and distribution of *Hypermastus placenta* (Eulimidae), an ectoparasitic gastropod on the sand dollar *Arachnoides placenta* (Echinoidea) 835
- Culver, D. A., and Geddes, M. C.  
Limnology of rearing ponds for Australian fish larvae: relationships among water quality, phytoplankton, zooplankton, and the growth of larval fish 537
- Davis, J. A., Harrington, S. A., and Friend, J. A.  
Invertebrate communities of relict streams in the arid zone: the George Gill Range, central Australia 483
- Derbyshire, K. J. See Coles, R. G. 193
- Djunarlin See Erftemeijer, P. L. A. 229
- Elliott, N. G., and Kloser, R. J.  
Use of acoustics to assess a small aggregation of orange roughy, *Hoplostethus atlanticus* (Collett), off the eastern coast of Tasmania 473
- Elliott, N. G. See also Bolch, C. J. S. 687
- Erftemeijer, P. L. A., Djunarlin and Moka, W.  
Stomach content analysis of a dugong (*Dugong dugon*) from South Sulawesi, Indonesia 229
- Erskine, W. D. See Saynor, M. J. 735

- Eyre, B.  
Nutrients in the sediments of a tropical north-eastern Australian estuary, catchment and nearshore coastal zone 845
- Ferrell, D. J., McNeill, S. E., Worthington, D. G., and Bell, J. D.  
Temporal and spatial variation in the abundance of fish associated with the seagrass *Posidonia australis* in south-eastern Australia 881
- Fitzpatrick, J. J. See Jernakoff, P. 649
- Francesconi, K. A., Moore, E. J., and Joll, L. M.  
Cadmium in the saucer scallop, *Amusium balloti*, from Western Australian waters: concentrations in adductor muscle and redistribution following frozen storage 787
- Friend, J. A. See Davis, J. A. 483
- Gabric, A. J., and Bell, P. R. F.  
Review of the effects of non-point nutrient loading on coastal ecosystems 261
- Gales, R., Pemberton, D., Lu, C. C., and Clarke, M. R.  
Cephalopod diet of the Australian fur seal: variation due to location, season and sample type 657
- Geddes, M. C. See Culver, D. A. 537
- Glova, G. J. See Kelso, J. R. 749
- Gray, C. A., and McDonall, V. C.  
Distribution and growth of juvenile mulloay, *Argyrosomus hololepidotus* (Pisces: Sciaenidae), in the Hawkesbury River, south-eastern Australia 401
- Greenaway, M. See Pollard, P. C. 127
- Hallegraeff, G. M., and Jeffrey, S. W.  
Annually recurrent diatom blooms in spring along the New South Wales coast of Australia 325
- Halliday, I. See Morton, R. M. 811
- Harrington, S. A. See Davis, J. A. 483
- Hart, B. T. See James, K. R. 769
- Hayes, K. P. See van Leeuwen, J. A. 825
- Hebbert, D. R. See Johnson, M. S. 673
- Hill, B. J., and Wassenberg, T. J.  
Why are some prawns found in seagrass? An experimental study of brown and grooved (*P. semisulcatus*) tiger prawns 221
- Holts, D. B., and Bedford, D. W.  
Horizontal and vertical movements of the shortfin mako shark, *Isurus oxyrinchus*, in the southern California bight 901
- Hyne, R. V., Padovan, A., Parry, D. L., and Renaud, S. M.  
Increased fecundity of the cladoceran, *Moinodaphnia macleayi* on a diet supplemented with a green alga, and its use in uranium toxicity tests 389
- Iizumi, H. See Yamamuro, M. 101
- Ingram, B. A.  
Evaluation of coded wire tags for marking fingerling golden perch, *Maquaria ambigua* (Percichthyidae), and silver perch, *Bidyanus bidyanus* (Teraponidae) 817
- James, K. R., and Hart, B. T.  
Effect of salinity on four freshwater macrophytes 769
- Jeffrey, R. A., Markich, S. J., and Brown, P. L.  
Comparative accumulation of alkaline-earth metals by two freshwater mussel species from the Nepean River, Australia: consistencies and a resolved paradox 609
- Jeffrey, S. W. See Hallegraeff, G. M. 325
- Jernakoff, P., Phillips, B. F., and Fitzpatrick, J. J.  
The diet of post-puerulus western rock lobster, *Panulirus cygnus* George, at Seven Mile Beach, Western Australia 649
- Johnson, M. S., and Joll, L. M.  
Genetic subdivision of the pearl oyster *Pinctada maxima* (Jameson, 1901) (Mollusca: Pteriidae) in northern Australia 519
- Johnson, M. S., Hebbert, D. R., and Moran, M. J.  
Genetic analysis of populations of north-western Australian fish species 673
- Johnston, R. M., and Barson, M. M.  
Remote sensing of Australian wetlands: an evaluation of Landsat TM data for inventory and classification 235
- Joll, L. M. See Johnson, M. S. 519 and Francesconi, K. A. 787
- Jones, T. C., and Lester, R. G. J.  
Aspects of the biology and pathogenicity of *Diceratocephala boschmai* (Platyhelminthes: Temnocephalida), an ectosymbiont on the redclaw crayfish, *Cherax quadricarinatus* 927
- Jordan, A. See Marshall, J. 799

- Kelso, J. R. M., and Glova, G. J.  
Distribution, upstream migration and  
habitat selection of maturing lampreys,  
*Geotria australis*, in Pigeon Bay Stream,  
New Zealand 749
- Khalil, A. N. See Abdel-Aziz, S. H. 507
- Kilby, G. W., and Batley, G. E.  
Chemical indicators of sediment chronology  
635
- King, C. R., and Shiel, R. J.  
Functional response to *Daphnia carinata*  
King when feeding on the filamentous  
diatom *Melosira granulata* 761
- Kloser, R. J. See Elliott, N. G. 473
- Kogure, K. See Pollard, P. C. 141  
and Pollard, P. C. 155
- Koike, I., Yamamuro, M., and Pollard, P. C.  
Carbon and nitrogen budgets of two  
ascidians and their symbiont, *Prochloron*,  
in a tropical seagrass meadow 173
- Koike, I. See also Yamamuro, M. 101
- Kuo, J.  
Functional leaf anatomy and ultrastructure  
in a marine angiosperm, *Syringodium*  
*isoetifolium* (Aschers.) Dandy  
(Cymodoceaceae) 59
- Kuo, J.  
Root anatomy and rhizosphere ultrastructure  
in tropical seagrasses 75
- Kuo, J., Lee Long, W., and Coles, R. G.  
Occurrence and fruit and seed biology  
of *Halophila tricostata* Greenway  
(Hydrocharitaceae) 43
- Lee Long, W. J., Mellors, J. E., and  
Coles, R. G.  
Seagrasses between Cape York and Hervey  
Bay, Queensland, Australia 19
- Lee Long, W. J.  
See also Kuo, J. 43  
and Coles, R. G. 193  
and Watson, R. A. 211
- Lester, R. G. J. See Jones, T. C. 927
- Lu, C. C. See Gales, R. 657
- Mackey, A. P.  
Biomass of the mangrove *Avicennia marina*  
(Forsk.) Vierh. near Brisbane, south-  
eastern Queensland 721
- Maher, W. A. See Norris, R. H. 437
- Markich, S. J. See Jeffree, R. A. 609
- Marsh, H. See Mellors, J. E. 33  
and Mellors, J. E. 183
- Marshall, J., Pullen, G., and Jordan, A.  
Reproductive biology and sexual maturity  
of female jack mackerel, *Trachurus*  
*declivis* (Jenyns), in eastern Tasmanian  
waters 799
- McDonall, V. C. See Gray, C. A. 401
- McNeill, S. E. See Ferrell, D. J. 881
- Mellors, J. E., and Marsh, H.  
Relationships between seagrass standing  
crop and the spatial distribution and  
abundance of the natantian fauna at  
Green Island, northern Queensland 183
- Mellors, J. E., Marsh, H., and Coles, R. G.  
Intra-annual changes in seagrass standing  
crop, Green Island, northern Queensland  
33
- Mellors, J. E. See also Lee Long, W. J. 19
- Metzeling, L.  
Benthic macroinvertebrate community  
structure in streams of different  
salinities 335
- Moka, W. See Erftemeijer, P. L. A. 229
- Moore, E. J. See Francesconi, K. A. 787
- Moran, M. J. See Johnson, M. S. 673
- Moriarty, D. J. W., and O'Donohue, M. J.  
Nitrogen fixation in seagrass communities  
during summer in the Gulf of  
Carpentaria, Australia 117
- Moore, J. L. See Norris, R. H. 437
- Mortimer, M. R., and Pullen, G.  
Bioconcentration factors and kinetics  
of chlorobenzenes in a juvenile crab  
[*Portunus pelagicus* (L.)] 565
- Morton, R. M., Halliday, I., and Cameron, D.  
Movement of tagged juvenile tailor  
(*Pomatomus saltatrix*) in Moreton Bay,  
Queensland 811
- Mukai, H.  
Biogeography of the tropical seagrasses  
in the western Pacific 1
- Nakazono, A.  
One-parent removal experiment in the  
brood-caring damselfish, *Acanthochromis*  
*polyacanthus*, with preliminary data on  
reproductive biology 699
- Nicholson, B. C.  
See van Leeuwen, J. A. 825
- Norris, R. H., Moore, J. L., Maher, W. A.,  
and Wensing, L. P.  
Limnological characteristics of two coastal  
dune lakes, Jervis Bay, south eastern  
Australia 437

- O'Connor, N. A.  
Resource enhancement of grazing mayfly nymphs by retreat-building caddisfly larvae in a sandbed stream 353
- O'Donohue, M. J.  
See Moriarty, D. J. W. 117
- Owens, L.  
Prevalence of *Cabirops orbionei* (Epicaridae; Cryptoniscidae) in northern Australia: a biocontrol agent for bopyrids 381
- Padovan, A. See Hyne, R. V. 389
- Parry, D. L. See Hyne, R. V. 389
- Paulin, C.  
Review of the Australasian fish family Arripidae (Percomorpha), with the description of a new species 459
- Pemberton, D. See Gales, R. 657
- Perera, K. M. L.  
No evidence for seasonality in the ectoparasitic fauna of slimy mackerel, *Scomber australasicus* 709
- Peterson, J. L. See Cresswell, G. R. 285  
and Cresswell, G. R. 779
- Petrusevics, P. M.  
SST fronts in inverse estuaries, South Australia—indicators of reduced gulf-shelf exchange 305
- Phillips, B. F. See Jernakoff, P. 649
- Plaut, I.  
Sexual maturity, reproductive season and fecundity of the spiny lobster *Panulirus penicillatus* from the Gulf of Eilat (Aqaba), Red Sea 527
- Pollard, P. C., and Greenaway, M.  
Photosynthetic characteristics of seagrasses (*Cymodocea serrulata*, *Thalassia hemprichii* and *Zostera capricorni*) in a low-light environment, with a comparison of leaf-marking and lacunal-gas measurements of productivity 127
- Pollard, P. C., and Kogure, K.  
The role of epiphytic and epibenthic algal productivity in a tropical seagrass, *Syringodium isoetifolium* (Aschers.) Dandy, community 141
- Pollard, P. C., and Kogure, K.  
Bacterial decomposition of detritus in a tropical seagrass (*Syringodium isoetifolium*) ecosystem, measured with [methyl-<sup>3</sup>H]thymidine 155
- Pollard, P. C. See also Koike, I. 173
- Pullen, G. See Mortimer, M. R. 565  
and Williams, H. 577  
and Marshall, J. 799
- Renaud, S. M. See Hyne, R. V. 389
- Roberts, D. G.  
Root-hair structure and development in the seagrass *Halophila ovalis* (R.Br.) Hook. f. 85
- Saynor, M. J., and Erskine, W. D.  
Characteristics and implications of high-level slackwater deposits in the Fairlight Gorge, Nepean River, Australia 735
- Sheaves, M. J.  
Patterns of movement of some fishes within an estuary in tropical Australia 867
- Shiel, R. J. See King, C. R. 761
- Smith, J. D., and Towler, P. H.  
Polonium-210 in cartilaginous fishes (Chondrichthyes) from south-eastern Australian waters 727
- St Clair, R. M.  
Life histories of six species of Leptoceridae (Insecta: Trichoptera) in Victoria 363
- Towler, P. H. See Smith, J. D. 727
- van Leeuwen, J. A., Nicholson, B. C., and Hayes, K. P.  
Distribution of chlorophenolic compounds, from a pulp mill, in Lake Bonney, South Australia 825
- Ward, R. D. See Bolch, C. J. S. 687
- Wassenberg, T. J. See Hill, B. J. 221
- Watson, R. A., Coles, R. G., and Lee Long, W. J.  
Simulation estimates of annual yield and landed value for commercial penaeid prawns from a tropical seagrass habitat, northern Queensland, Australia 211
- Watson, R. A. See also Coles, R. G. 193
- Wensing, L. P. See Norris, R. H. 437
- Williams, H., and Pullen, G.  
Schooling behaviour of jack mackerel, *Trachurus declivis* (Jenyns), observed in the Tasmanian purse seine fishery 577
- Wolanski, E.  
Facts and numerical artefacts in modelling the dispersal of crown-of-thorns starfish larvae in the Great Barrier Reef 427
- Worthington, D. G. See Ferrell, D. J. 881
- Yamamuro, M., Koike, I., and Izumi, H.  
Partitioning of the nitrogen stock in the vicinity of a Fijian seagrass bed dominated by *Syringodium isoetifolium* (Ascherson) Dandy) 101
- Yamamuro, M. See also Koike, I. 173

